

40 C.F.R. § 60.2125

How do I conduct the initial and annual performance test?

- (a) All performance tests must consist of a minimum of three test runs conducted under conditions representative of normal operations.
- (b) You must document that the waste burned during the performance test is representative of the waste burned under normal operating conditions by maintaining a log of the quantity of waste burned (as required in § 60.2175(b)(1)) and the types of waste burned during the performance test.
- (c) All performance tests must be conducted using the minimum run duration specified in table 1 of this subpart or tables 5 through 8 of this subpart.
- (d) Method 1 of appendix A of this part must be used to select the sampling location and number of traverse points.
- (e) Method 3A or 3B of appendix A of this part must be used for gas composition analysis, including measurement of oxygen concentration. Method 3A or 3B of appendix A of this part must be used simultaneously with each method (except when using Method 9 and Method 22).

This document is only available to subscribers. Please [log in](#) or [purchase access](#).

[Purchase Login](#)