

## 40 C.F.R. § 1700.3

---

### Definitions.

---

*Administrator* means the Administrator of the United States Environmental Protection Agency or that person's authorized representative.

*Armed Forces vessel* means a vessel owned or operated by the United States Department of Defense or the United States Coast Guard, other than vessels that are time or voyage chartered by the Armed Forces, vessels of the U.S. Army Corps of Engineers, or vessels that are memorials or museums.

*Bioaccumulative* means the opposite of *not bioaccumulative*.

*Biodegradable* means the following for purposes of the standards:

- (1) Regarding *environmentally acceptable lubricants* and greases, *biodegradable* means lubricant formulations that contain at least 90% (weight in weight concentration or w/w) or grease formulations that contain at least 75% (w/w) of a constituent substance or constituent substances (only stated substances present above 0.10% must be assessed) that each demonstrate either the removal of at least 70% of dissolved organic carbon, production of at least 60% of the theoretical carbon dioxide, or consumption of at least 60% of the theoretical oxygen demand within 28 days. Test methods include: Organization for Economic Co-operation and Development Test Guidelines 301 A-F, 306, and 310, ASTM 5864, ASTM D-7373, OCSPH Harmonized Guideline 835.3110, and International Organization for Standardization 14593:1999. For lubricant formulations, the 10% (w/w) of the formulation that need not meet the above biodegradability requirements, up to 5% (w/w) may be non-biodegradable, but not bioaccumulative, while the remaining 5-10% must be inherently biodegradable. For grease formulations, the 25% (w/w) of the formulation that need not meet the above biodegradability requirement, the constituent substances may be either inherently biodegradable or non-biodegradable, but may not be bioaccumulative. Test methods to demonstrate inherent biodegradability include: OECD Test Guidelines 302C (>70% biodegradation after 28 days) or OECD Test Guidelines 301 A-F (>20% but <60% biodegradation after 28 days).
- (2) Regarding cleaning products, *biodegradable* means products that demonstrate either the removal of at least 70% of dissolved organic carbon, production of at least 60% of the theoretical carbon dioxide, or consumption of at least 60% of the theoretical oxygen demand within 28 days. Test methods include: Organization for Economic Cooperation and Development Test Guidelines 301 A-F, 306, and 310, and International Organization for Standardization 14593:1999.

This document is only available to subscribers. Please [log in](#) or [purchase access](#).

[Purchase Login](#)