

# 40 C.F.R. § 421.314

## Standards of performance for new sources.

Any new source subject to this subpart shall achieve the following new source performance standards:

(a) Tungsten detergent wash and rinse.

NSPS for the Secondary Tungsten and Cobalt Subcategory

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of tungsten scrap washed	
Copper	0.250	0.119
Nickel	0.107	0.072
Ammonia (as N)	25.990	11.430
Cobalt	0.538	0.236
Tungsten	0.679	0.302
Oil and grease	1.950	1.950
Total suspended solids	2.925	2.340
pH	(1)	(1)

<sup>1</sup> Within the range of 7.5 to 10.0 at all times.

(b) Tungsten leaching acid.

NSPS for the Secondary Tungsten and Cobalt Subcategory

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of tungsten produced	
Copper	3.291	1.569
Nickel	1.414	0.951
Ammonia (as N)	342.700	150.700

Cobalt	7.096	3.111
Tungsten	8.947	3.985
Oil and grease	25.710	25.710
Total suspended solids	38.570	30.850
pH	(1)	(1)

<sup>1</sup> Within the range of 7.5 to 10.0 at all times.

(c) Tungsten post-leaching wash and rinse.

NSPS for the Secondary Tungsten and Cobalt Subcategory

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)