
40 C.F.R. § 52.1175

Compliance schedules.

- (a) The requirements of § 51.15(a)(2) of this chapter as of May 31, 1972, (36 FR 22398) are not met since Rule 336.49 of the Michigan Air Pollution Control Commission provides for individual compliance schedules to be submitted to the State Agency by January 1, 1974. This would not be in time for submittal to the Environmental Protection Agency with the first semiannual report.
- (b) [Reserved]
- (c) The requirements of § 51.262(a) of this chapter are not met since compliance schedules with adequate increments of progress have not been submitted for every source for which they are required.
- (d) *Federal compliance schedules.* (1) Except as provided in paragraph (d)(3) of this section, the owner or operator of any stationary source subject to the following emission-limiting regulations in the Michigan implementation plan shall comply with the applicable compliance schedule in paragraph (d)(2) of this section: Air Pollution Control Commission, Department of Public Health, Michigan Rule 336.49.
- (2) *Compliance schedules.* (i) The owner or operator of any boiler or furnace of more than 250 million Btu per hour heat input subject to Rule 336.49 and located in the Central Michigan Intrastate AQCR, South Bend-Elkhart-Benton Harbor Interstate AQCR, or Upper Michigan Intrastate AQCR (as defined in part 81 of this title) shall notify the Administrator, no later than October 1, 1973, of his intent to utilize either low-sulfur fuel or stack gas desulfurization to comply with the limitations effective July 1, 1975, in Table 3 or Table 4 of Rule 336.49.
- (ii) Any owner or operator of a stationary source subject to paragraph (d)(2)(i) of this section who elects to utilize low-sulfur fuel shall take the following actions with respect to the source no later than the dates specified.
- (a) November 1, 1973— Submit to the Administrator a projection of the amount of fuel, by types, that will be substantially adequate to enable compliance with Table 3 of Rule 336.49 on July 1, 1975, and for at least one year thereafter.

This document is only available to subscribers. Please [log in](#) or [purchase access](#).

[Purchase Login](#)