

---

## 40 C.F.R. § 52.1923

---

### Best Available Retrofit Requirements (BART) for SO<sub>2</sub> and Interstate pollutant transport provisions; What are the FIP requirements for Units 4 and 5 of the Oklahoma Gas and Electric Muskogee plant; and Units 1 and 2 of the Oklahoma Gas and Electric Sooner plant affecting visibility?

---

- (a) *Applicability.* The provisions of this section shall apply to each owner or operator, or successive owners or operators, of the coal burning equipment designated as: Units 4 or 5 of the Oklahoma Gas and Electric Muskogee plant; and Units 1 or 2 of the Oklahoma Gas and Electric Sooner plant.
- (b) *Compliance Dates.* Compliance with the requirements of this section is required within five years of the effective date of this rule unless otherwise indicated by compliance dates contained in specific provisions.
- (c) *Definitions.* All terms used in this part but not defined herein shall have the meaning given them in the CAA and in parts 51 and 60 of this chapter. For the purposes of this section:

*24-hour period* means the period of time between 12:01 a.m. and 12 midnight.

*Air pollution control equipment* includes selective catalytic control units, baghouses, particulate or gaseous scrubbers, and any other apparatus utilized to control emissions of regulated air contaminants that would be emitted to the atmosphere.

*Boiler-operating-day* means any 24-hour period between 12:00 midnight and the following midnight during which any fuel is combusted at any time at the steam generating unit.

*Daily average* means the arithmetic average of the hourly values measured in a 24-hour period.

*Heat input* means heat derived from combustion of fuel in a unit and does not include the heat input from preheated combustion air, recirculated flue gases, or exhaust gases from other sources. Heat input shall be calculated in accordance with 40 CFR part 75.

*Owner or Operator* means any person who owns, leases, operates, controls, or supervises any of the coal burning equipment designated as:

This document is only available to subscribers. Please [log in](#) or [purchase access](#).

[Purchase Login](#)