

40 C.F.R. § 180.204

Dimethoate; tolerances for residues.

(a) *General.* Tolerances are established for total residues of the insecticide dimethoate (O,O-dimethyl S-(N-methylcarbamoylmethyl) phosphorodithioate) including its oxygen analog (O,O-dimethyl S-(N-methylcarbamoylmethyl) phosphorothioate) in or on the following food commodities:

Commodity	Parts per million
Alfalfa, forage	2.0
Alfalfa, hay	2.0
Bean, dry, seed	2.0
Bean, lima	2.0
Bean, snap, succulent	2.0
Blueberry ¹	1.0
Broccoli	2.0
Cattle, meat byproducts	0.02
Cauliflower	2.0
Celery	2.0
Citrus, dried pulp	5.0
Corn, field, forage	1.0
Corn, field, grain	0.1
Corn, field, stover	1.0
Corn, pop, grain	0.1
Corn, pop, stover	1.0
Corn, sweet, forage	1.0
Cotton, undelinted seed	0.1
Egg	0.02

Endive	2.0
Goat, meat byproducts	0.02
Grapefruit	2.0
Hog, meat byproducts	0.02
Horse, meat byproducts	0.02
Kale	2.0
Lemon	2.0
Lettuce, leaf	2.0
Melon	1.0
Milk	0.002
Mustard greens	2.0
Orange	2.0
Pea	2.0
Pear	2.0
Pecan	0.1
Pepper	2.0
Potato	0.2
Poultry, meat byproducts	0.02
Safflower, seed	0.1
Sheep, meat byproducts	0.02
Sorghum, grain, forage	0.1
Sorghum, grain, grain	0.1
Sorghum, grain, stover	0.1
Soybean, forage	2.0
Soybean, hay	2.0
Soybean, seed	0.05
Swiss chard	2.0
Tangerine	2.0

Tomato	2.0
Turnip, roots	0.2
Turnip, tops	2.0
Wheat, forage	2.0
Wheat, grain	0.04
Wheat, hay	2.0
Wheat, straw	2.0

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)