

# 40 C.F.R. § 180.205

## Paraquat; tolerances for residues.

(a) *General.* Tolerances are established for residues of the desiccant, defoliant, and herbicide paraquat (1,1'-dimethyl-4,4'-bipyridinium-ion) derived from application of either the bis(methyl sulfate) or the dichloride salt (both calculated as the cation) in or on the following food commodities:

Commodity	Parts per million
Acerola	0.05
Almond, hulls	0.5
Animal feed, nongrass, group 18, forage	75.0
Animal feed, nongrass, group 18, hay	210.0
Artichoke, globe	0.05
Asparagus	0.5
Atemoya	0.05
Avocado	0.05
Banana	0.05
Barley, grain	0.05
Barley, hay	3.5
Barley, straw	1.0
Beet, sugar, roots	0.5
Beet, sugar, tops	0.05
Berry group 13	0.05
Biriba	0.05
Cacao bean, bean	0.05
Canistel	0.05
Carrot, roots	0.05

Cattle, fat	0.05
Cattle, kidney	0.5
Cattle, meat	0.05
Cattle, meat byproducts, except kidney	0.05
Cherimoya	0.05
Coffee, bean, green	0.05
Corn, field, forage	3.0
Corn, field, grain	0.1
Corn, field, stover	10.0
Corn, pop, grain	0.1
Corn, pop, stover	10.0
Corn, sweet, kernel plus cob with husks removed	0.05
Cotton, gin byproducts	110.0
Cotton, undelinted seed	3.5
Cowpea, forage	0.1
Cowpea, hay	0.4
Cranberry	0.05
Custard apple	0.05
Egg	0.01
Endive	0.05
Feijoa	0.05
Fig	0.05
Fruit, citrus, group 10	0.05
Fruit, pome, group 11	0.05
Fruit, stone, group 12	0.05
Goat, fat	0.05
Goat, kidney	0.5
Goat, meat	0.05

Goat, meat byproducts, except kidney	0.05
Grain, aspirated fractions	65.0
Grape	0.05
Grass, forage	90.0
Grass, hay	40.0
Guar, seed	0.5
Guava	0.05
Hog, fat	0.05
Hog, kidney	0.5
Hog, meat	0.05
Hog, meat byproducts, except kidney	0.05
Hop, dried cones	0.5
Horse, fat	0.05
Horse, kidney	0.5
Horse, meat	0.05
Horse, meat byproducts, except kidney	0.05
Ilama	0.05
Jaboticaba	0.05
Kiwifruit	0.05
Lentil, seed	0.3
Lettuce	0.05
Longan	0.05
Lychee	0.05
Mango	0.05
Milk	0.01
Nut, tree, group 14	0.05
Okra	0.05
Olive	0.05

Onion, bulb	0.1
Onion, green	0.05
Papaya	0.05
Passionfruit	0.2
Pawpaw	0.05
Pea and bean, dried shelled, except soybean, subgroup 6C, except guar bean	0.3
Pea and bean, succulent shelled, subgroup 6B	0.05
Pea, field, hay	0.8
Pea, field, vines	0.2
Peanut	0.05
Peanut, hay	0.5
Peppermint, tops	0.5
Persimmon	0.05
Pineapple	0.05
Pineapple, process residue	0.25
Pistachio	0.05
Pomegranate	0.05
Pulasan	0.05
Rambutan	0.05
Rhubarb	0.05
Rice, grain	0.05
Safflower, seed	0.05
Sapodilla	0.05
Sapote, black	0.05
Sapote, mamey	0.05
Sapote, white	0.05
Sheep, fat	0.05
Sheep, kidney	0.5

Sheep, meat	0.05
Sheep, meat byproducts, except kidney	0.05
Sorghum, forage, forage	0.1
Sorghum, grain, forage	0.1
Sorghum, grain, grain	0.05
Soursop	0.05
Soybean, forage	0.4
Soybean, hay	10.0
Soybean, hulls	4.5
Soybean, seed	0.7
Spanish lime	0.05
Spearmint, tops	0.5
Star apple	0.05
Starfruit	0.05
Strawberry	0.25
Sugar apple	0.05
Sugarcane, cane	0.5
Sugarcane, molasses	3.0
Sunflower, seed	2.0
Turnip, greens	0.05
Turnip, roots	0.05
Vegetable, brassica, leafy, group 5	0.05
Vegetable, cucurbit, group 9	0.05
Vegetable, fruiting, group 8	0.05
Vegetable, legume, edible podded, subgroup 6A	0.05
Vegetable, tuberous and corm, subgroup 1C	0.50
Wax jambu	0.05
Wheat, forage	0.5

Wheat, grain	1.1
Wheat, hay	3.5
Wheat, straw	50.0

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)