

40 C.F.R. § 180.207

Trifluralin; tolerances for residues.

(a) *General.* Tolerances are established for residues of trifluralin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only trifluralin (2,6-dinitro-N,N-dipropyl-4-(trifluoromethyl)benzenamine).

Table 1 to Paragraph (a)

Commodity	Parts per million
Alfalfa, forage	3.0
Alfalfa, hay	2.0
Almond, hulls	0.05
Asparagus	0.05
Barley, grain	0.05
Barley, hay	0.05
Barley, straw	0.05
Bean, mung, sprouts	2.0
Carrot, roots	1.0
Celery	0.05
Corn, field, forage	0.05
Corn, field, grain	0.05
Corn, field, stover	0.05
Cotton, gin byproducts	0.05
Endive	0.05
Fruit, citrus, group 10	0.05
Fruit, stone, group 12	0.05
Grape	0.05

Hop, dried cones	0.05
Nut, tree, group 14	0.05
Oilseed, crop group 20	0.05
Okra	0.05
Peanut	0.05
Peanut, hay	0.05
Peppermint, oil	2.0
Peppermint, tops	0.05
Rosemary, dried leaves	0.10
Rosemary, fresh leaves	0.10
Rosemary, oil	3.0
Sorghum, grain, forage	0.05
Sorghum, grain, grain	0.05
Sorghum, grain, stover	0.05
Spearmint, oil	2.0
Spearmint, tops	0.05
Sugarcane, cane	0.05
Tea, dried ¹	0.05
Tea, instant ¹	0.05
Vegetable, brassica, leafy group 5	0.05
Vegetable, bulb, group 3	0.05
Vegetable, cucurbit, group 9	0.05
Vegetable, foliage of legume, group 7	0.05
Vegetable, fruiting, group 8	0.05
Vegetable, leaves of root and tuber, group 2	0.05
Vegetable, legume, group 6	0.05
Vegetable, root and tuber, group 1, except carrot	0.05
Wheat, grain	0.05

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)