

40 C.F.R. § 180.225

Phosphine; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of phosphine in or on the following raw agricultural commodities (RACs) resulting from post-harvest fumigation for the control of insects with phosphine gas or phosphide compounds that produce phosphine gas.

Commodity	Parts per million
Almond	0.1
Avocado	0.01
Banana	0.01
Barley, grain	0.1
Cabbage, Chinese, bok choy	0.01
Cabbage, Chinese, napa	0.01
Cacao bean, dried bean	0.1
Cashew	0.1
Citron, citrus	0.01
Coffee, bean, green	0.1
Corn, field, grain	0.1
Corn, pop, grain	0.1
Cotton, undelinted seed	0.1
Date, dried fruit	0.1
Dill, seed	0.01
Eggplant	0.01
Endive	0.01
Grapefruit	0.01
Hazelnut	0.1

Kumquat	0.01
Lemon	0.01
Lettuce	0.01
Lime	0.01
Mango	0.01
Millet, grain	0.1
Mushroom	0.01
Nut, brazil	0.1
Oat, grain	0.1
Okra	0.01
Orange, sweet	0.01
Papaya	0.01
Peanut	0.1
Pecan	0.1
Pepper	0.01
Persimmon	0.01
Pistachio	0.1
Rice, grain	0.1
Rye, grain	0.1
Safflower, seed	0.1
Salsify, tops	0.01
Sesame, seed	0.1
Sorghum, grain	0.1
Soybean, seed	0.1
Sunflower, seed	0.1
Sweet potato, roots	0.01
Tangelo	0.01
Tangerine	0.01

Tomato	0.01
Vegetable, legume, group 6, except soybean	0.01
Walnut	0.1
Wheat, grain	0.1

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)