

## 40 C.F.R. § 180.249

## Alachlor; tolerances for residues.

(a) *General.* Tolerances are established for combined residues of alachlor (2-chloro-2',6"-diethyl-*N*-(methoxymethyl)acetanilide) and its metabolites which can be converted to 2,6-diethylaniline (DEA) or 2ethyl-6-(1-hydroxyethyl)aniline (1-HEEA) upon basic hydrolysis, calculated as alachlor in or on the following raw agricultural commodities.

Commodity	Parts per million
Beans, dry	0.1
Beans, succulent lima	0.1
Cattle, fat	0.02
Cattle, meat byproducts	0.02
Cattle, meat	0.02
Corn, field, forage	2.0
Corn, field, grain	0.2
Corn, field, pop	0.2
Corn, field, stover	2.0
Corn, pop, stover	2.0
Corn, sweet (K + CWHR)	0.05
Corn, sweet, stover	2.0
Cotton, gin byproducts	0.7
Cotton, undelinted seed	0.03
Cowpea, forage	5.0
Cowpea, hay	5.0
Egg	0.02
Goat, fat	0.02

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Goat, meat byproducts	0.02
Goat, meat	0.02
Hog, fat	0.02
Hog meat byproducts	0.02
Hog, meat	0.02
Horse, fat	0.02
Horse, meat byproducts	0.02
Horse, meat	0.02
Milk	0.02
Peanut	0.5
Poultry, fat	0.02
Poultry, meat byproducts	0.02
Poultry, meat	0.02
Sheep, fat	0.02
Sheep, meat byproducts	0.02
Sheep, meat	0.02
Sorghum grain, forage	2.0
Sorghum, grain, grain	0.1
Sorghum, grain, stover	1.0
Soybeans, seed	1.0
Sunflower, meal	3.4
Sunflower, seed	2.5

This document is only available to subscribers. Please log in or purchase access.

## Purchase Login