40 C.F.R. § 180.332

Metribuzin; tolerances for residues.

(a) *General.* Tolerances are established for combined residues of the herbicide metribuzin (4-amino-6-(1,1-dimethyl- ethyl)-3-(methylthio)-;1,2,4-triazin-5(4*H*)-one) and its triazinone metabolites in or on food commodities:

Commodity	Parts per million
Alfalfa, forage	2.0
Alfalfa, hay	7.0
Asparagus	0.1
Barley, grain	0.75
Barley, hay	7.0
Barley, pearled barley	3.0
Barley, straw	1.0
Carrot, roots	0.3
Cattle, fat	0.7
Cattle, meat	0.7
Cattle, meat byproducts	0.7
Corn, field, forage	0.1
Corn, field, grain	0.05
Corn, field, stover	0.1
Corn, pop, grain	0.05
Corn, sweet, forage	0.1
Corn, sweet, kernel plus cob with husks removed	0.05
Corn, sweet, stover	0.1
Egg	0.01

Goat, fat	0.7
Goat, meat	0.7
Goat, meat byproducts	0.7
Grass, forage	2.0
Grass, hay	7.0
Hog, fat	0.7
Hog, meat	0.7
Hog, meat byproducts	0.7
Horse, fat	0.7
Horse, meat	0.7
Horse, meat byproducts	0.7
Lentil	0.05
Milk	0.05
Pea, dry, seed	0.05
Pea, field, hay	4.0
Pea, field, vines	0.5
Pea, succulent	0.1
Potato	0.6
Potato, chips	3.0
Potato, processed potato waste	3.0
Poultry, fat	0.7
Poultry, meat	0.7
Poultry, meat byproducts	0.7
Sainfoin, forage	2.0
Sainfoin, hay	7.0
Sheep, fat	0.7
Sheep, meat	0.7
Sheep, meat byproducts	0.7

Soybean, seed	0.3
Soybean, forage	4.0
Soybean, hay	4.0
Sugarcane, cane	0.1
Sugarcane, molasses	2.0
Tomato	0.1
Wheat, bran	3.0
Wheat, forage	2.0
Wheat, germ	3.0
Wheat, grain	0.75
Wheat, hay	7.0
Wheat, middlings	3.0
Wheat, shorts	3.0
Wheat, straw	1.0

This document is only available to subscribers. Please log in or purchase access.