

# 40 C.F.R. § 180.364

## Glyphosate; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of glyphosate, including its metabolites and degradates, in or on the commodities listed below resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the dimethylamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate. Compliance with the following tolerance levels is to be determined by measuring only glyphosate (*N*-(phosphonomethyl)glycine).

Commodity	Parts per million
Acerola	0.2
Alfalfa, seed	0.5
Almond, hulls	25
Aloe vera	0.5
Ambarella	0.2
Animal feed, nongrass, group 18	400
Artichoke, globe	0.2
Asparagus	0.5
Atemoya	0.2
Avocado	0.2
Bamboo, shoots	0.2
Banana	0.2
Barley, bran	30
Beet, sugar, dried pulp	25
Beet, sugar, roots	10
Beet, sugar, tops	10
Berry and small fruit, group 13-07	0.20

Betelnut	1.0
Biriba	0.2
Blimbe	0.2
Breadfruit	0.2
Cacao bean, bean	0.2
Cactus, fruit	0.5
Cactus, pads	0.5
Canistel	0.2
Carrot	5.0
Chaya	1.0
Cherimoya	0.2
Citrus, dried pulp	1.5
Coconut	0.1
Coffee, bean, green	1.0
Corn, pop, grain	0.1
Corn, sweet, kernel plus cob with husk removed	3.5
Cotton, gin byproducts	210
Custard apple	0.2
Date, dried fruit	0.2
Dokudami	2.0
Durian	0.2
Epazote	1.3
Feijoa	0.2
Fig	0.2
Fish	0.25
Fruit, citrus, group 10-10	0.50
Fruit, pome, group 11-10	0.20
Fruit, stone, group 12	0.2

Galangal, roots	0.2
Ginger, white, flower	0.2
Gourd, buffalo, seed	0.1
Governor's plum	0.2
Gow kee, leaves	0.2
Grain, cereal, forage, fodder and straw, group 16, except field corn, forage and field corn, stover	100
Grain, cereal, group 15 except field corn, popcorn, rice, sweet corn, and wild rice	30
Grass, forage, fodder and hay, group 17	300
Guava	0.2
Herbs subgroup 19A	0.2
Hop, dried cones	7.0
Ilama	0.2
Imbe	0.2
Imbu	0.2
Jaboticaba	0.2
Jackfruit	0.2
Kava, roots	0.2
Kenaf, forage	200
Leucaena, forage	200
Longan	0.2
Lychee	0.2
Mamey apple	0.2
Mango	0.2
Mangosteen	0.2
Marmaladebox	0.2
Mioga, flower	0.2
Noni	0.20
Nut, pine	1.0

Nut, tree, group 14	1.0
Oilseeds, group 20, except canola	4.0
Okra	0.5
Olive	0.2
Oregano, Mexican, leaves	2.0
Palm heart	0.2
Palm heart, leaves	0.2
Palm, oil	0.1
Papaya	0.2
Papaya, mountain	0.2
Passionfruit	0.2
Pawpaw	0.2
Pea, dry	8.0
Peanut	0.1
Peanut, hay	0.5
Pepper leaf, fresh leaves	0.2
Peppermint, tops	200
Perilla, tops	1.8
Persimmon	0.2
Pineapple	0.1
Pistachio	1.0
Pomegranate	0.2
Pulasan	0.2
Quinoa, grain	5.0
Rambutan	0.2
Rice, grain	0.1
Rice, wild, grain	0.1
Rose apple	0.2

Sapodilla	0.2
Sapote, black	0.2
Sapote, mamey	0.2
Sapote, white	0.2
Shellfish	3.0
Soursop	0.2
Spanish lime	0.2
Spearmint, tops	200
Spice subgroup 19B	7.0
Star apple	0.2
Starfruit	0.2
Stevia, dried leaves	1.0
Sugar apple	0.2
Sugarcane, cane	2.0
Sugarcane, molasses	30
Surinam cherry	0.2
Sweet potato	3.0
Tamarind	0.2
Tea, dried	1.0
Tea, instant	7.0
Teff, forage	100
Teff, grain	5.0
Teff, hay	100
Ti, leaves	0.2
Ti, roots	0.2
Ugli fruit	0.5
Vegetable, bulb, group 3–07	0.20
Vegetable, cucurbit, group 9	0.5

Vegetable, foliage of legume, subgroup 7A, except soybean	0.2
Vegetable, fruiting, group 8–10 (except okra)	0.10
Vegetable, leafy, brassica, group 5	0.2
Vegetable, leafy, except brassica, group 4	0.2
Vegetable, leaves of root and tuber, group 2, except sugar beet tops	0.2
Vegetable, legume, group 6 except soybean and dry pea	5.0
Vegetables, root and tuber, group 1, except carrot, sweet potato, and sugar beet	0.20
Wasabi, roots	0.2
Water spinach, tops	0.2
Watercress, upland	0.2
Wax jambu	0.2
Yacon, tuber	0.2

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)