

40 C.F.R. § 180.377

Diflubenzuron; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of diflubenzuron, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only diflubenzuron (*N*-[[[(4-chlorophenyl)amino]carbonyl]-2,6-difluorobenzamide]).

Commodity	Parts per million
Artichoke, globe	6.0
Cattle, fat	0.05
Cattle, meat	0.05
Cottonseed subgroup 20C	0.20
Egg	0.07
Goat, fat	0.05
Goat, meat	0.05
Hog, fat	0.05
Hog, meat	0.05
Horse, fat	0.05
Horse, meat	0.05
Milk	0.05
Mushroom	0.2
Poultry, fat	0.10
Poultry, meat byproducts	0.08
Poultry, meat	0.05
Sheep, fat	0.05
Sheep, meat	0.05

Soybean	0.05
Soybean, hulls	0.5

(2) Tolerances are established for residues of the insecticide diflubenzuron (N-[(4-chlorophenyl)amino]carbonyl)-2,6-difluorobenzamide), in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of diflubenzuron (N-[(4-chlorophenyl)amino]carbonyl)-2,6-difluorobenzamide), 4-chlorophenylurea and 4-chloroaniline, calculated as the stoichiometric equivalent of diflubenzuron, in or on the commodity.

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)