

40 C.F.R. § 180.381

Oxyfluorfen; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide oxyfluorfen [2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene] in or on the following food commodities:

Commodity	Parts per million
Almond, hulls	0.1
Artichoke, globe	0.05
Avocado	0.05
Banana	0.05
Broccoli	0.05
Cabbage	0.05
Cacao bean, dried bean	0.05
Cattle, fat	0.01
Cattle, meat	0.01
Cattle, meat byproducts	0.01
Cauliflower	0.05
Coffee, bean, green	0.05
Corn, field, grain	0.05
Cotton, undelinted seed	0.05
Date, dried fruit	0.05
Egg	0.03
Feijoa	0.05
Fig	0.05
Fruit, pome, group 11	0.05

Fruit, stone, group 12	0.05
Goat, fat	0.01
Goat, meat	0.01
Goat, meat byproducts	0.01
Grape	0.05
Hog, fat	0.01
Hog, meat	0.01
Hog, meat byproducts	0.01
Horse, fat	0.01
Horse, meat	0.01
Horse, meat byproducts	0.01
Horseradish	0.05
Kiwifruit	0.05
Milk	0.01
Nut, tree, group 14	0.05
Olive	0.05
Onion, bulb	0.05
Peppermint, tops	0.05
Persimmon	0.05
Pistachio	0.05
Pomegranate	0.05
Poultry, fat	0.2
Poultry, meat	0.01
Poultry, meat byproducts	0.01
Sheep, fat	0.01
Sheep, meat	0.01
Sheep, meat byproducts	0.01
Soybean	0.05

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)