

40 C.F.R. § 180.408

Metalaxyl; tolerances for residues.

(a) *General.* Tolerances are established for the combined residues of the fungicide metalaxyl [N-(2,6-dmethylphyenyl)-N-(methoxyacetyl) alanine methylester] and its metabolites containing the 2,6-dimethylaniline moiety, and N-(2-hydroxy methyl-6-methylphenyl)-N-(methoxyacetyl)-alanine methyl ester, each expressed as metalaxyl equivalents, in or on the following food commodities:

Table 1 to Paragraph (a)

Commodity	Parts per million
Alfalfa, forage	6.0
Alfalfa, hay	20.0
Almond	0.5
Almond, hulls	10.0
Apple	0.2
Apple, wet pomace	0.4
Apricot, dried	4.0
Asparagus	7.0
Avocado	4.0
Beet, garden, roots	0.1
Beet, garden, tops	0.1
Beet, sugar	0.1
Beet, sugar, molasses	1.0
Beet, sugar, roots	0.5
Beet, sugar, tops	10.0
Blueberry	2.0
Broccoli	2.0

Brussels sprouts	2.0
Cabbage	1.0
Cattle, fat	0.4
Cattle, kidney	0.4
Cattle, liver	0.4
Cattle, meat	0.05
Cattle, meat byproducts, except kidney and liver	0.05
Cauliflower	1.0
Citrus, oil	7.0
Citrus, dried pulp	7.0
Clover, forage	1.0
Clover, hay	2.5
Cotton, undelinted seed	0.1
Cranberry	4.0
Egg	0.05
Fruit, citrus	1.0
Fruit, stone, group 12	1.0
Ginseng	3.0
Goat, fat	0.4
Goat, kidney	0.4
Goat, liver	0.4
Goat, meat	0.05
Goat, meat byproducts, except kidney and liver	0.05
Grain, cereal, group 15, except barley, oat and wheat	0.1
Grain, crop	0.1
Grape	2.0
Grape, raisin	6.0
Grass, forage	10.0

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Grass, hay	25.0
Hog, fat	0.4
Hog, kidney	0.4
Hog, liver	0.4
Hog, meat	0.05
Hog, meat byproducts, except kidney and liver	0.05
Hop, dried cones	20
Hop, vines	2.0
Horse, fat	0.4
Horse, kidney	0.4
Horse, liver	0.4
Horse, meat	0.05
Horse, meat byproducts, except kidney and liver	0.05
Lettuce, head	5.0
Milk	0.02
Mustard greens	5.0
Onion, bulb	3.0
Onion, green	10.0
Peanut	0.2
Peanut, hay	20.0
Peanut, meal	1.0
Peanut, hulls	2.0
Pepper, black1	0.3
Pineapple	0.1
Pineapple, fodder	0.1
Pineapple, forage	0.1
Plum, prune, dried	4.0
Potato, chips	4.0

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Potato, granules, flakes	4.0
Potato, processed potato waste	4.0
Potato, wet peel	4.0
Poultry, fat	0.4
Poultry, kidney	0.4
Poultry, liver	0.4
Poultry, meat	0.05
Poultry, meat byproducts, except kidney and liver	0.05
Potato	0.5
Raspberry	0.5
Sheep, fat	0.4
Sheep, kidney	0.4
Sheep, liver	0.4
Sheep, meat	0.05
Sheep, meat byproducts, except kidney and liver	0.05
Soybean, hulls	2.0
Soybean, meal	2.0
Soybean, seed	1.0
Spinach	10.0
Strawberry	10.0
Sunflower, seed	0.1
Sunflower, forage	0.1
Tomato, paste	3.0
Tomato, puree	3.0
Vegetable, brassica, leafy, group 5, except broccoli, cabbage, cauliflower, brussels sprouts, and mustard greens	0.1
Vegetable, cucurbit, group 9	1.0
Vegetable, foilage of legume, group 7	8.0
Vegetable, fruiting, group 8	1.0

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Vegetable, leafy, except brassica, group 4, except spinach	5.0
Vegetable, leaves of root and tuber, group 2	15.0
Vegetable, legume, cannery waste	5.0
Vegetable, legume, group 6	0.2
Vegetable, root and tuber, group 1	0.5
Walnut	0.5

This document is only available to subscribers. Please \log in or purchase access.

Purchase Login