

40 C.F.R. § 180.442

Bifenthrin; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide bifenthrin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only bifenthrin, (2-methyl [1,1'-biphenyl]-3-yl) methyl-3-(2-chloro-3,3,3,-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate.

Commodity	Parts per million
Almond, hulls	2.0
Apple, wet pomace	1.5
Artichoke, globe	1.0
Avocado	0.5
Banana 1	0.1
Beet, garden, roots	0.45
Beet, garden, tops	15
Berry, low growing, subgroup 13-07G	3
Brassica, head and stem, subgroup 5A, except cabbage	0.6
Brassica, leafy greens, subgroup 4-16B	4
Bushberry subgroup 13-07B	1.8
Cabbage	4.0
Caneberry subgroup 13-07A	1
Cattle, fat	1.0
Cattle, meat byproducts	0.10
Cattle, meat	0.5
Coriander, dried leaves	25
Coriander, leaves	6.0

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Coriander, seed	5.0
Corn, field, forage	3.0
Corn, field, grain	0.05
Corn, field, stover	5.0
Corn, pop, grain	0.05
Corn, pop, stover	5.0
Corn, sweet, forage	3.0
Corn, sweet, kernel plus cob with husk removed	0.05
Corn, sweet, stover	5.0
Cotton, undelinted seed	0.5
Egg	0.05
Fruit, citrus, group 10-10	0.05
Fruit, pome, group 11-10, except mayhaw	0.9
Fruit, small, vine climbing, except fuzzy kiwifruit, subgroup 13-07F	0.3
Goat, fat	1.0
Goat, meat byproducts	0.10
Goat, meat	0.5
Grain, aspirated fractions	70
Groundcherry 2	0.5
Herb subgroup 19A	0.05
Hog, fat	1.0
Hog, meat byproducts	0.10
Hog, meat	0.5
Hop, dried cones	10.0
Horse, fat	1.0
Horse, meat byproducts	0.10
Horse, meat	0.5
Leafy petioles subgroup 4B	3.0

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Lettuce, head	3.0
Mayhaw	1.4
Milk, fat (reflecting 0.1 ppm in whole milk)	1.0
Nut, tree, group 14-12	0.05
Pea and bean, dried shelled, expect soybean, subgroup 6C	0.15
Pea and bean, succulent shelled, subgroup 6B	0.05
Peach subgroup 12–12B	0.7
Peanut	0.05
Pepper/eggplant subgroup 8-10B	0.5
Pomegranate	0.5
Poultry, fat	0.05
Poultry, meat byproducts	0.05
Poultry, meat	0.05
Radish, tops	4.5
Rapeseed, seed	0.05
Sheep, fat	1.0
Sheep, meat byproducts	0.1
Sheep, meat	0.5
Soybean, hulls	0.50
Soybean, refined oil	0.30
Soybean, seed	0.2
Spinach	0.2
Sunflower subgroup 20B	0.05
Tea, dried1	30
Tomato subgroup 8-10A	0.3
Vegetable, cucurbit, group 9	0.4
Vegetable, legume, edible podded, subgroup 6A	0.6
Vegetable, root, subgroup 1B except sugar beet and garden beet	0.10

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Magatabla	tubowou	and	0.01000	anhamann	10
vegeranie	. Tuberous	and	COIIII.	subgroup	- 11

0.05

This document is only available to subscribers. Please \log in or purchase access.

Purchase Login