

40 C.F.R. § 180.464

Dimethenamid; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide dimethenamid, 1(R,S)-2-chloro-N-[(1-methyl-2-methoxy)ethyl]-N-(2,4-dimethylthien-3-yl)-acetamide, applied as either the 90:10 or 50:50 S:R isomers, in or on the following food commodities:

Commodity	Parts per million
Bean, dry, seed	0.01
Beet, garden, roots	0.01
Beet, garden, tops	0.01
Beet, sugar, dried pulp	0.01
Beet, sugar, molasses	0.01
Beet, sugar, roots	0.01
Beet, sugar, tops	0.01
Corn, field, forage	0.01
Corn, field, grain	0.01
Corn, field, stover	0.01
Corn, pop, forage	0.01
Corn, pop, grain	0.01
Corn, pop, stover	0.01
Corn, sweet, forage	0.01
Corn, sweet, kernel plus cob with husks removed	0.01
Corn, sweet, stover	0.01
Cotton, gin byproducts	1.5
Cottonseed subgroup 20C	0.01
Garlic	0.01

Grass, forage	0.15
Grass, hay	2.5
Grass, seed screenings	0.01
Grass, straw	0.01
Hop, dried cones	0.05
Horseradish	0.01
Leek	0.01
Onion, bulb	0.01
Onion, green	0.01
Onion, Welsh	0.01
Peanut	0.01
Peanut, hay	0.01
Radish, roots	0.01
Radish, tops	0.01
Rutabaga, roots	0.01
Rutabaga, tops	0.1
Shallot, bulb	0.01
Shallot, fresh leaves	0.01
Sorghum, grain, forage	0.01
Sorghum, grain, grain	0.01
Sorghum, grain, stover	0.01
Soybean, seed	0.01
Turnip, greens	0.1
Turnip, roots	0.01
Turnip, tops	0.1
Vegetable, tuberous and corm, subgroup 1C	0.01

This document is only available to subscribers. Please log in or purchase access.

Purchase Login