

## 40 C.F.R. § 180.518

## Pyrimethanil; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide pyrimethanil, including its metabolites and degradates, in or on the commodities in the following table Compliance with the tolerance levels specified in the following table is to be determined by measuring only pyrimethanil (4,6-dimethyl-*N*-phenyl-2-pyrimidinamine).

Commodity	Parts per million
Almond	0.20
Almond, hulls	12
Apple, wet pomace	40
Banana	0.10
Berry, low growing, subgroup 13-07G	3.0
Bushberry subgroup 13–07B	8.0
Caneberry subgroup 13-07A	15
Citrus, oil	150
Cucumber	1.5
Fruit, citrus, group 10–10	10
Fruit, pome, group 11–10	15
Fruit, small, vine climbing, subgroup 13-07F, except fuzzy kiwifruit	5.0
Fruit, stone, group 12–12	10
Ginseng	1.5
Grape, raisin	8.0
Onion, bulb, subgroup 3-07A	0.2
Onion, green, subgroup 3–07B	3.0
Pistachio	0.20

Pomegranate	5.0
Tomato subgroup 8–10A	0.50
Vegetable, tuberous and corm, subgroup 1C	0.05

This document is only available to subscribers. Please  $\log$  in or purchase access.

## Purchase Login