

40 C.F.R. § 180.532

Cyprodinil; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide cyprodinil, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only cyprodinil 4-cyclopropyl-6-methyl-*N*-phenyl-2-pyrimidinamine.

Table 1 to Paragraph (a)

Commodity	Parts per million
Acerola	1.5
Almond	0.02
Almond, hulls	8.0
Apple, wet pomace	4.6
Artichoke, globe	4.0
Avocado	1.2
Bean, dry	0.6
Bean, succulent	0.6
Berry, low growing, subgroup 13-07G, except cranberry	5.0
Brassica, leafy greens, subgroup 4-16B	10
Bushberry subgroup 13-07B	3.0
Caneberry subgroup 13-07A	10
Canistel	1.2
Canola, seed 1	0.03
Celtuce	30
Citrus, dried pulp	8.0

Citrus, oil	60
Dragon fruit	2.0
Feijoa	1.5
Fennel, Florence, fresh leaves and stalk	30
Fruit, pome, group 11-10	1.7
Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	3.0
Fruit, stone, group 12-12	2.0
Grape, raisin	5.0
Guava	1.5
Herb subgroup 19A, dried, except parsley	15.0
Herb subgroup 19A, fresh, except parsley	3.0
Jaboticaba	1.5
Kiwifruit	1.8
Kohlrabi	1
Leaf petiole vegetable subgroup 22B	30
Leafy greens subgroup 4-16A, except parsley, fresh leaves	50
Lemon/lime subgroup 10-10B	0.6
Mango	1.2
Nut, tree, group 14-12; except almond and pistachio	0.04
Onion, bulb, subgroup 3-07A	0.6
Onion, green, subgroup 3-07B	4.0
Papaya	1.2
Parsley, dried leaves	170
Parsley, leaves	35
Passionfruit	1.5
Pistachio	0.10
Pomegranate	10
Potato, wet peel	0.03

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Pulasan	2.0
Rambutan	2.0
Sapodilla	1.2
Sapote, black	1.2
Sapote, mamey	1.2
Star apple	1.2
Starfruit	1.5
Sugar apple	4
Tropical and subtropical, small fruit, inedible peel, subgroup 24A	2
Vegetable, <i>Brassica</i> , head and stem, group 5-16	1
Vegetable, cucurbit, group 9	0.70
Vegetable, fruiting, group 8-10	1.5
Vegetable, leaves of root and tuber, group 2	10
Vegetable, root, except sugarbeet, subgroup 1B	0.75
Vegetable, tuberous and corm, subgroup 1C	0.01
Watercress	20
Wax jambu	1.5

This document is only available to subscribers. Please log in or purchase access.

Purchase Login