

40 C.F.R. § 180.555

Trifloxystrobin; tolerances for residues.

(a) *General.* Tolerances are established for residues of trifloxystrobin, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only the sum of trifloxystrobin, benzeneacetic acid, (*E,E*)- α -(methoxyimino)-2-[[[1-[3-(trifluoromethyl) phenyl]ethylidene] amino]oxy]methyl]-, methyl ester, and the free form of its acid metabolite CGA-321113, (*E,E*)-methoxyimino-[2-[1-(3-trifluoromethyl-phenyl)-ethylideneamino]oxy]methyl]-phenyl]acetic acid, calculated as the stoichiometric equivalent of trifloxystrobin, in or on the commodity.

Table 1 to Paragraph (a)

Commodity	Parts per million
Alfalfa, forage	0.01
Alfalfa, hay	0.01
Almond, hulls	9.0
Apple, wet pomace	5.0
Artichoke, globe	1.0
Asparagus	0.07
Banana ¹	0.10
Barley, grain	0.05
Barley, hay	0.3
Barley, straw	5.0
Beet, sugar, dried pulp	0.4
Beet, sugar, molasses	0.2
Beet, sugar, roots	0.1
Beet, sugar, tops	4.0
Berry, low growing subgroup 13-07G	1.5

Brassica, leafy greens, subgroup 4-16B	30
Caneberry, subgroup 13-07A4	2
Canistel	0.7
Cattle, fat	0.1
Cattle, meat	0.1
Cattle, meat byproducts	0.1
Celtuce	9
Citrus, dried pulp	1.0
Citrus, oil	38
Coffee, green bean 2	0.02
Corn, field, forage	8.0
Corn, field, grain	0.05
Corn, field, stover	7
Corn, field, refined oil	0.1
Corn, pop, grain	0.05
Corn, pop, stover	7
Corn, sweet, cannery waste	0.6
Corn, sweet, forage	7.0
Corn, sweet, kernel plus cob with husks removed	0.04
Corn, sweet, stover	4.0
Cotton, gin byproducts	3.0
Cottonseed subgroup 20C	0.50
Currant 4	3
Egg	0.04
Fennel, Florence, fresh leaves and stalk	9
Flax, seed	0.40
Fruit, citrus, group 10-10	0.6
Fruit, pome, group 11-10	0.7

Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	2.0
Fruit, stone, group 12-12	3
Goat, fat	0.1
Goat, meat	0.1
Goat, meat byproducts	0.1
Grain, aspirated fractions	10
Grape, raisin	5.0
Grass, forage	12
Grass, hay	17
Herbs, subgroup 19A	200
Hog, fat	0.05
Hog, meat	0.05
Hog, meat byproducts	0.05
Hop, dried cones	11.0
Horse, fat	0.1
Horse, meat	0.1
Horse, meat byproducts	0.1
Kohlrabi	2
Leaf petiole vegetable subgroup 22B	9
Leafy greens subgroup 4-16A	30
Mango	0.7
Milk	0.02
Nut, tree, group 14-12	0.04
Oat, forage	0.3
Oat, grain	0.05
Oat, hay	0.3
Oat, straw	5.0
Onion, bulb, subgroup 3-07A	0.04

Onion, green, subgroup 3-07B	1.5
Papaya	0.7
Pea, dwarf, edible podded ⁴	1.5
Pea, field, hay	15
Pea, field, vines	4
Pea, green, edible podded ⁴	1.5
Pea, pigeon, edible podded ⁴	1.5
Pea, snap, edible podded ⁴	1.5
Pea, snow, edible podded ⁴	1.5
Pea, sugar snap, edible podded ⁴	1.5
Pea and bean, succulent shelled, subgroup 6B ⁴	0.2
Peanut, hay	4.0
Peanut	0.05
Poultry, fat	0.04
Poultry, meat	0.04
Poultry, meat byproducts	0.04
Radish, tops	10
Rice, grain	3.5
Rice, hulls	8
Sapodilla	0.7
Sapote, black	0.7
Sapote, mamey	0.7
Sheep, fat	0.1
Sheep, meat	0.1
Sheep, meat byproducts	0.1
Soybean, forage	10.0
Soybean, hay	25.0

Soybean, seed	0.08
Spice group 26	30
Star apple	0.7
Tea, dried 3	5
Tea, instant 3	5
Tropical and subtropical, small fruit, edible peel, subgroup 23A4	0.3
Vegetable, Brassica, head and stem, group 5-16	2
Vegetable, cucurbit, group 9	0.50
Vegetable, fruiting, group 8-10	0.5
Vegetable, legume, bean, edible podded, subgroup 6-22A	1.5
Vegetable, legume, pulse, bean, dried shelled, except soybean, subgroup 6-22E	0.06
Vegetable, legume, pulse, pea, dried shelled, subgroup 6-22F	0.2
Vegetable, root, except sugar beet, subgroup 1B	0.1
Vegetable, tuberous and corm, subgroup 1C	0.04
Wheat, bran	0.15
Wheat, forage	0.3
Wheat, grain	0.05
Wheat, hay	0.2
Wheat, straw	5.0

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)