

40 C.F.R. § 180.589

Boscalid; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide boscalid, including its metabolites and degradates, in or on the commodities listed below. Compliance with the tolerance levels specified below is to be determined by measuring only boscalid, 3-pyridinecarboxamide, 2-chloro-*N*-(4'-chloro[1,1'-biphenyl]-2-yl), in or on the following raw agricultural commodities:

Commodity	Parts per million
Alfalfa, forage	30.0
Alfalfa, hay	65.0
Almond, hulls	17
Apple, wet pomace	10
Artichoke, globe	6.0
Avocado	1.5
Banana, import ¹	0.40
Berry, low growing, subgroup 13-07G, except cranberry	4.5
Brassica, leafy greens, subgroup 4-16B, except watercress	60
Bushberry subgroup 13-07B	13.0
Caneberry subgroup 13-07A	10.0
Canistel	1.5
Canola, refined oil	5.0
Celtuce	45
Citrus, dried pulp	4.5
Citrus, oil	85.0
Coffee, green bean, import ¹	0.05
Cotton, gin byproducts	55.0

Dill, seed	100
Endive, Belgium	6.0
Fennel, Florence	45
Fruit, citrus, group 10-10	2.0
Fruit, pome, group 11-10	3.0
Fruit, small vine climbing, except fuzzy kiwifruit, subgroup 13-07F	5.0
Fruit, stone, group 12-12	3.5
Grain, aspirated fractions	3.0
Grape, raisin	8.5
Herb subgroup 19A	150
Hop, dried cones	35
Kohlrabi	6.0
Leaf petiole vegetable subgroup 22B	45
Leafy greens subgroup 4-16A	70
Mango	1.5
Nut, tree, group 14-12	0.70
Oilseed group 20	3.5
Papaya	1.5
Pea and bean, dried shelled, except soybean, subgroup 6C	2.5
Pea and bean, succulent shelled, subgroup 6B	0.60
Peanut	0.05
Peanut, meal	0.15
Peanut, refined oil	0.15
Peppermint, tops	30.0
Persimmon	8.0
Sapodilla	1.5
Sapote, black	1.5
Sapote, mamey	1.5

Soybean, hulls	0.2
Soybean, seed	0.1
Soybean, vegetable	2.0
Spearmint, tops	30.0
Star apple	1.5
Tea, dried ²	70
Tea, instant ²	70
Vegetable, <i>Brassica</i> , head and stem, group 5-16	6.0
Vegetable, bulb, group 3-07	5.0
Vegetable, cucurbit, group 9	3.0
Vegetable, fruiting, group 8-10	3.0
Vegetable, legume, edible podded subgroup 6A	5.0
Vegetable, root, except sugar beet, subgroup 1B	2.0
Vegetable, tuberous and corm, subgroup 1C	0.05

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)