

40 C.F.R. § 180.628

Chlorantraniliprole; tolerances for residues.

(a) *General.* Tolerances are established for residues of the insecticide chlorantraniliprole, including its metabolites and degradates, in or on the commodities in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only chlorantraniliprole, 3-bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide.

Commodity	Parts per million
Acerola	2.0
Alfalfa, seed	7.0
Almond, hulls	5.0
Animal feed, nongrass, group 18, forage	25
Animal feed, nongrass, group 18, hay	90
Apple, wet pomace	2.5
Artichoke, globe ¹	4.0
Artichoke, globe	2.0
Asparagus	13
Atemoya	4.0
Avocado	4.0
Banana	4.0
Beet, sugar, molasses	9.0
Berry, large shrub/tree, subgroup 13-07C	2.5
Berry, low growing, subgroup 13-07G	1.0
Biriba	4.0
Brassica, head and stem, subgroup 5A	4.0
Brassica, leafy greens, subgroup 5B	11

Bushberry, subgroup 13-07B	2.5
Cacao bean	0.08
Cacao bean, chocolate	1.5
Cacao bean, cocoa powder	1.5
Cacao bean, roasted bean	0.8
Cactus	13
Canistel	4.0
Cattle, fat	0.5
Cattle, meat	0.1
Cattle, meat byproducts	0.5
Cherimoya	4.0
Citrus, dried pulp	14
Coffee, green bean	0.4
Coffee, instant	2.0
Corn, field, grain	0.04
Corn, field, milled byproducts	0.1
Corn, pop, grain	0.04
Corn, sweet, kernel plus cobs with husk removed	0.02
Cotton, gin byproduct	30
Cotton, hulls	0.40
Cottonseed subgroup 20C	0.3
Crayfish	8.0
Custard apple	4.0
Egg	1.0
Feijoa	4.0
Fig	4.0
Fruit, caneberry, subgroup 13-07A	1.8
Fruit, citrus, group 10-10	1.4

Fruit, pome, group 11-10	1.2
Fruit, small vine climbing, subgroup 13-07F	2.5
Fruit, stone, group 12-12	2.5
Fruit, stone, group 12-12, except cherry, chickasaw plum, and damson plum ¹	4.0
Goat, fat	0.5
Goat, meat	0.1
Goat, meat byproducts	0.5
Grain, aspirated grain fractions	640
Grain, cereal, except rice and corn, group 15	6.0
Grain, cereal, forage, fodder and straw, group 16	40
Grape, raisin	5.0
Grass forage, fodder and hay, group 17	90
Guava	4.0
Herb subgroup 19A, dried leaves	90
Herb subgroup 19A, fresh leaves	25
Hog, fat	0.05
Hog, meat	0.02
Hog, meat byproducts	0.05
Hop, dried cones ¹	90
Hop, dried cones	40
Horse, fat	0.5
Horse, meat	0.1
Horse, meat byproducts	0.5
Ilama	4.0
Jaboticaba	2.0
Longan	4.0
Lychee	2.0
Mango	4.0

Milk	0.1
Nut, tree, group 14 ¹	0.04
Nut, tree, group 14-12	0.02
Olive	4.0
Olive, oil	40
Onion, bulb, subgroup 3-07A	0.30
Onion, green, subgroup 3-07B	3.0
Palm, oil ²	1.5
Papaya	4.0
Passionfruit	4.0
Peanut	0.06
Peanut, hay	90
Peppermint, tops	9.0
Persimmon	4.0
Pineapple	1.5
Pineapple, process residue	3.0
Pistachio ¹	0.04
Pomegranate	4.0
Poultry, fat	0.2
Poultry, meat	0.05
Poultry, meat byproducts	0.2
Pulasan	4.0
Quinoa, forage	40
Quinoa, grain	6.0
Quinoa, hay	40
Quinoa, straw	40
Rambutan	4.0
Rapeseed subgroup 20A	2.0

Rice, grain	0.15
Rice, hulls	0.4
Sapodilla	4.0
Sapote, black	4.0
Sapote, mamey	4.0
Sapote, white	4.0
Sheep, fat	0.5
Sheep, meat	0.1
Sheep meat byproducts	0.5
Soursop	4.0
Spanish lime	4.0
Spearmint, tops	9.0
Spice, subgroup 19B	90
Star apple	4.0
Starfruit	4.0
Sugar apple	4.0
Sugarcane, cane	14
Sugarcane, molasses	420
Sunflower subgroup 20B	2.0
Tea, dried	50.0
Teff, forage	40
Teff, grain	6.0
Teff, hay	40
Teff, straw	40
Ti, leaves	13.0
Ti, root	0.3
Vegetable, cucurbit, group 9	0.5
Vegetable, foliage of legume, group 7	90

Vegetable, fruiting, group 8-10	1.4
Vegetable, leafy, except brassica, group 4	13
Vegetable, leaves of root and tuber, group 2	40.0
Vegetable, legume, group 6	2.0
Vegetable, root and tuber, group 1	0.30
Wax jambu	4.0

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)