

40 C.F.R. § 180.668

Sulfoxaflor; tolerances for residues.

(a) *General.* Tolerances are established for residues of the insecticide sulfoxaflor, including its metabolites and degradates, in or on the commodities in the table. Compliance with the tolerance levels specified is to be determined by measuring only sulfoxaflor (N-[methyloxido[1-[6-(trifluoromethyl)-3-pyridinyl]ethyl]- γ -sulfanylidene]cyanamide).

Table 1 to Paragraph (a)

Commodity	Parts per million
Alfalfa, forage	7
Alfalfa, hay	20
Alfalfa, seed	40
Alfalfa, silage	9
Almond, hulls	6.0
Artichoke, globe	0.7
Asparagus	0.01
Avocado	0.15
Barley, grain	0.40
Barley, hay	1.0
Barley, straw	2.0
Bean, dry seed	0.20
Bean, succulent	4.0
Beet, sugar, dried pulp	0.07
Beet, sugar, molasses	0.25
Berry, low growing, subgroup 13-7G	0.70
Brassica, leafy greens, subgroup 4-16B, except watercress	2

Bushberry subgroup 13-07B	2
Cacao, dried bean	0.05
Caneberry subgroup 13-07A	1.5
Cattle, fat	0.2
Cattle, meat	0.4
Cattle, meat byproducts	0.8
Cauliflower	0.08
Celtuce	2
Citrus, dried pulp	3.6
Coffee, green bean 1	0.3
Corn, field, forage	0.5
Corn, field, grain	0.015
Corn, field, stover	0.8
Corn, pop, grain	0.015
Corn, pop, stover	0.8
Corn, sweet, forage	0.6
Corn, sweet, kernel plus cob with husks removed	0.01
Corn, sweet, stover	0.7
Cotton, gin byproducts	6.0
Cotton, hulls	0.35
Cottonseed subgroup 20C	0.20
Egg	0.06
Fennel, Florence, fresh leaves and stalk	2
Fruit, citrus, group 10-10	0.70
Fruit, pome, group 11-10	0.50
Fruit, small, vine climbing, subgroup 13-07F, except fuzzy kiwi fruit	2.0
Fruit, stone, group 12–12	3
Goat, fat	0.2

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Goat, meat	0.4
Goat, meat byproducts	0.8
Grain, aspirated fractions	20.0
Grape, raisin	6.0
Hog, fat	0.03
Hog, meat	0.3
Hog, meat byproducts	0.6
Horse, fat	0.2
Horse, meat	0.4
Horse, meat byproducts	0.8
Kohlrabi	2
Leaf petiole vegetable subgroup 22B	2
Leafy greens subgroup 4-16A	6
Milk	0.3
Millet, proso, forage	0.4
Millet, pearl, forage	0.4
Millet, proso, grain	0.3
Millet, pearl, grain	0.3
Nut, tree, group 14–12	0.015
Oat, grain	0.4
Oat, hay	1
Oat, straw	2
Onion, bulb, subgroup 3-07A	0.01
Onion, green, subgroup 3-07B	0.70
Pineapple	0.1
Poultry, fat	0.02
Poultry, meat	0.1
Poultry, meat byproducts	0.3

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Rapeseed, meal	0.50
Rapeseed subgroup 20A	0.40
Rice, grain	5
Rice, hulls	15
Rye, forage	1
Rye, grain	0.08
Rye, hay	1.5
Rye, straw	2
Sheep, fat	0.2
Sheep, meat	0.4
Sheep, meat byproducts	0.8
Sorghum, grain, forage	0.4
Sorghum, grain, grain	0.3
Sorghum, grain, stover	1
Soybean, seed	0.20
Sunflower subgroup 20B	0.3
Teff, forage	1
Teff, grain	0.08
Teff, hay	1.5
Teff, straw	2
Teosinte, grain	0.015
Tomato, paste	2.60
Tomato, puree	1.20
Triticale, forage	1
Triticale, grain	0.08
Triticale, hay	1.5
Triticale, straw	2
Vegetable, <i>brassica</i> , head and stem, group 5-16, except cauliflower	2

Copyright © 2024 by Society of Corporate Compliance and Ethics (SCCE) & Health Care Compliance Association (HCCA). No claim to original US Government works. All rights reserved. Usage is governed under this website's <u>Terms of Use</u>.

Vegetable, cucurbit, group 9	0.40
Vegetable, fruiting, group 8-10	0.70
Vegetable, leaves of root and tuber, group 2	3.0
Vegetable, legume, foliage, group 7	3.0
Vegetable, root and tuber, group 1	0.05
Watercress	6.0
Wheat, forage	1.0
Wheat, grain	0.08
Wheat, hay	1.5
Wheat, straw	2.0

This document is only available to subscribers. Please \log in or purchase access.

Purchase Login