

40 C.F.R. § 180.669

Picoxystrobin; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide picoxystrobin, including its metabolites and degradates, in or on the commodities listed below. Compliance with the tolerance levels specified below is to be determined by measuring only picoxystrobin, methyl (αE)- α -(methoxymethylene)-2-[[[6-(trifluoromethyl)-2-pyridinyl]oxy]methyl]benzeneacetate.

Commodity	Parts per million
Alfalfa, forage	4.0
Alfalfa, hay	5.0
Alfalfa, seed	9.0
Almond, hulls	7.0
Barley, bran	0.5
Barley, grain	0.3
Beet, sugar, dried pulp	1.5
Bluegrass, forage	30
Bluegrass, hay	60
Bromegrass, forage	30
Bromegrass, hay	60
Cattle, fat	0.01
Cattle, meat	0.01
Cattle, meat byproducts	0.01
Corn, field, refined oil	0.07
Cotton, gin byproducts	20
Cottonseed subgroup 20C	2.0

Eggs	0.01
Fescue, forage	30
Fescue, hay	60
Goat, fat	0.01
Goat, meat	0.01
Goat, meat byproducts	0.01
Grain, aspirated grain fractions	10
Grain, cereal, forage, fodder, and straw, group 16, forage	15
Grain, cereal, forage, fodder, and straw, group 16, hay	5
Grain, cereal, forage, fodder, and straw, group 16, stover	10
Grain, cereal, forage, fodder, and straw, group 16, straw	2
Grain, cereal, group 15, except rice and barley	0.04
Hog, fat	0.01
Hog, meat	0.01
Hog, meat byproducts	0.01
Horse, fat	0.01
Horse, meat	0.01
Horse, meat byproducts	0.01
Leaf petiole vegetable subgroup 22B	20
Lettuce, head	4.0
Milk	0.01
Nut, tree, group 14-12	0.08
Onion, bulb, subgroup 3-07A	0.50
Onion, green, subgroup 3-07B	10
Orchardgrass, forage	30
Orchardgrass, hay	60
Pea and bean, dried shelled, except soybean, subgroup 6C	0.06
Pea and bean, succulent shelled, subgroup 6B	0.90

Peanut	0.05
Peanut, hay	30
Potato, wet peel	0.10
Poultry, fat	0.01
Poultry, meat	0.01
Poultry, meat byproducts	0.01
Rapeseed subgroup 20A	0.08
Ryegrass, forage	30
Ryegrass, hay	60
Sheep, fat	0.01
Sheep, meat	0.01
Sheep, meat byproducts	0.01
Soybean, forage	1
Soybean, hay	3
Soybean, hulls	0.2
Soybean, seed	0.05
Sunflower subgroup 20B	2.0
Switchgrass, forage	30
Switchgrass, hay	60
Vegetable, brassica, head and stem, group 5-16	2.0
Vegetable, cucurbit, group 9	0.30
Vegetable, foliage of legume, except soybean, subgroup 7A	40
Vegetable, fruiting, group 8-10	0.70
Vegetable, leafy, group 4-16, except lettuce, head	30
Vegetable, leaves of root and tuber, group 2	30
Vegetable, legume, edible podded, subgroup 6A	2.0
Vegetable, root, subgroup 1A	0.50
Vegetable, tuberous and corm, subgroup 1C	0.03

Wheat, bran	0.06
Wheat, germ	0.09

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)