

# 40 C.F.R. § 421.34

## Standards of performance for new sources.

Any new source subject to this subpart shall achieve the following new source performance standards:

(a) Subpart C—Scrap Drying Wet Air Pollution Control.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average.
	mg/kg (pounds per million pounds) of aluminum scrap dried	
Lead	.000	.000
Zinc	.000	.000
Aluminum	.000	.000
Ammonia (as N)	.000	.000
Total suspended solids	.000	.000
Oil and grease	.000	.000
pH	(1)	(1)

<sup>1</sup> Within the range of 7.0 to 10.0 at all times

(b) Subpart C—Scrap Screening and Milling.

NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/kg (pounds per million pounds) of aluminum scrap screened and milled	
Lead	.000	.000
Zinc	.000	.000
Aluminum	.000	.000
Ammonia (as N)	.000	.000

Total suspended solids	.000	.000
Oil and grease	.000	.000
pH	(1)	(1)

<sup>1</sup> Within the range of 7.0 to 10.0 at all times.

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)