

40 C.F.R. § 65.107

Standards: Pumps in light liquid service.

- (a) *Compliance schedule.* The owner or operator shall comply with this section no later than the implementation date specified in § 65.1(f).
- (b) *Leak detection.* Unless otherwise specified in § 65.102(b) or paragraph (e) of this section, the owner or operator shall monitor each pump to detect leaks and shall comply with all other provisions of this section.
- (1) *Monitoring method.* The pumps shall be monitored monthly to detect leaks by the method specified in § 65.104(b) and (c).
- (2) *Instrument reading that defines a leak.* The following leak definitions determined through instrument readings apply:
- (i) 5,000 parts per million or greater for pumps handling polymerizing monomers;
- (ii) 2,000 parts per million or greater for pumps in food/medical service; and
- (iii) 1,000 parts per million or greater for all other pumps.
 - (3) *Leak repair exception.* For pumps to which a 1,000 parts per million leak definition applies, repair is not required unless an instrument reading of 2,000 parts per million or greater is detected.
 - (4) *Visual inspection.* Each pump shall be checked by visual inspection each calendar week for indications of liquids dripping from the pump seal. The owner or operator shall document that the inspection was conducted and the date of the inspection. If there are indications of liquids dripping from the pump seal at the time of the weekly inspection, the owner or operator shall comply with either of the following procedures:
- (i) The owner or operator shall monitor the pump as specified in § 65.104(b) and (c) unless the pump has already been monitored since the last routine monthly monitoring required by paragraph (b)(1) of this section. If monitoring is performed and the instrument reading indicates a leak as specified in paragraph (b)(2) of this section, a leak is detected and the leak shall be repaired using the procedures in § 65.105, except as specified in paragraph (b)(3) of this section; or

This document is only available to subscribers. Please log in or purchase access.

Purchase Login