
40 C.F.R. § 97.831

Initial monitoring system certification and recertification procedures.

- (a) The owner or operator of a CSAPR NO_x Ozone Season Group 2 unit shall be exempt from the initial certification requirements of this section for a monitoring system under § 97.830(a)(1) if the following conditions are met:
- (1) The monitoring system has been previously certified in accordance with part 75 of this chapter; and
 - (2) The applicable quality-assurance and quality-control requirements of § 75.21 of this chapter and appendices B, D, and E to part 75 of this chapter are fully met for the certified monitoring system described in paragraph (a)(1) of this section.
- (b) The recertification provisions of this section shall apply to a monitoring system under § 97.830(a)(1) that is exempt from initial certification requirements under paragraph (a) of this section.
- (c) If the Administrator has previously approved a petition under § 75.17(a) or (b) of this chapter for apportioning the NO_x emission rate measured in a common stack or a petition under § 75.66 of this chapter for an alternative to a requirement in § 75.12 or § 75.17 of this chapter, the designated representative shall resubmit the petition to the Administrator under § 97.835 to determine whether the approval applies under the CSAPR NO_x Ozone Season Group 2 Trading Program.
- (d) Except as provided in paragraph (a) of this section, the owner or operator of a CSAPR NO_x Ozone Season Group 2 unit shall comply with the following initial certification and recertification procedures for a continuous monitoring system (*i.e.*, a continuous emission monitoring system and an excepted monitoring system under appendices D and E to part 75 of this chapter) under § 97.830(a)(1). The owner or operator of a unit that qualifies to use the low mass emissions excepted monitoring methodology under § 75.19 of this chapter or that qualifies to use an alternative monitoring system under subpart E of part 75 of this chapter shall comply with the procedures in paragraph (e) or (f) of this section respectively.
- (1) *Requirements for initial certification.* The owner or operator shall ensure that each continuous monitoring system under § 97.830(a)(1) (including the automated data acquisition and handling system) successfully completes all of the initial certification testing required under § 75.20 of this chapter by the applicable deadline in § 97.830(b). In addition, whenever the owner or operator installs a monitoring system to meet the requirements of this subpart in a location where no such monitoring system was previously installed, initial certification in accordance with § 75.20 of this chapter is required.

This document is only available to subscribers. Please [log in](#) or [purchase access](#).

[Purchase Login](#)
