

40 C.F.R. § 63.9623

How do I demonstrate initial compliance with the emission limitations that apply to me?

- (a) For each affected source subject to an emission limit in tables 1 through 3 to this subpart, you must demonstrate initial compliance by meeting the emission limit requirements in paragraphs (a)(1) through (8) of this section by the compliance date specified in § 63.9583.
- (1) For ore crushing and handling, the flow-weighted mean concentration of particulate matter, determined according to the procedures in §§ 63.9620(a) and 63.9621(b), must not exceed the emission limits in table 1 to this subpart.
- (2) For indurating furnaces, the flow-weighted mean concentration of particulate matter, determined according to the procedures in §§ 63.9620(b) and 63.9621(c), must not exceed the emission limits in table 1 to this subpart.
- (3) For finished pellet handling, the flow-weighted mean concentration of particulate matter, determined according to the procedures in §§ 63.9620(c) and 63.9621(b), must not exceed the emission limits in table 1 to this subpart.
- (4) For ore dryers, the flow-weighted mean concentration of particulate matter, determined according to the procedures in §§ 63.9620(d) and 63.9621(c), must not exceed the emission limits in table 1 to this subpart.
- (5) For indurating furnaces not using emissions averaging, the mercury emissions determined according to the procedures in $\S\S$ 63.9620(k)(1) or (2) and 63.9621(d), must not exceed the applicable emission limit in table 2 to this subpart.
- (6) For indurating furnaces that comply with the mercury emissions limit using emissions averaging, the average mercury emissions determined according to the procedures in §§ 63.9620(k)(1) or (2), 63.9621(d) and 63.9634(m), must not exceed the applicable emission limit in table 2 to this subpart.
- (7) For indurating furnaces that comply with the mercury emissions limit by adjusting the activated carbon injection rate based on the taconite pellet production rate, the mercury emissions determined according to the procedures in $\S\S 63.9620(k)(1)$ or (2), 63.9621(d) or (e), and 63.9634(n), must not exceed the applicable emission limit in table 2 to this subpart.

This document is only available to subscribers. Please log in or purchase access.

Purchase Login