

42 C.F.R. § 494.30

Condition: Infection control.

The dialysis facility must provide and monitor a sanitary environment to minimize the transmission of infectious agents within and between the unit and any adjacent hospital or other public areas.

(a) *Standard: Procedures for infection control.* The facility must demonstrate that it follows standard infection control precautions by implementing—

- (1)
 - (i) The recommendations (with the exception of screening for hepatitis C), found in “Recommendations for Preventing Transmission of Infections Among Chronic Hemodialysis Patients,” developed by the Centers for Disease Control and Prevention, Morbidity and Mortality Weekly Report, volume 50, number RR05, April 27, 2001, pages 18 to 28. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. This publication is available for inspection at the CMS Information Resource Center, 7500 Security Boulevard, Central Building, Baltimore, MD or at the National Archives and Records Administration (NARA). Copies may be obtained at the CMS Information Resource Center. For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html. The recommendation found under section header “HBV-Infected Patients”, found on pages 27 and 28 of RR05 (“Recommendations for Preventing Transmission of Infections Among Chronic Hemodialysis Patients”), concerning isolation rooms, must be complied with by February 9, 2009.

This document is only available to subscribers. Please log in or purchase access.

[Purchase Login](#)