

40 C.F.R. § 1090.215

Gasoline RVP standards.

Except as specified in subpart G of this part and paragraph (c) of this section, all gasoline designated as summer gasoline or located at any location in the United States during the summer season is subject to a maximum RVP per–gallon standard in this section.

(a)

- (1) Federal 9.0 psi maximum RVP per-gallon standard. Gasoline designated as summer gasoline or located at any location in the United States during the summer season must meet a maximum RVP per-gallon standard of 9.0 psi unless the gasoline is subject to one of the lower maximum RVP per-gallon standards specified in paragraphs (a)(2) through (5) of this section.
- (2) Federal 7.8 maximum RVP per-gallon standard. Gasoline designated as 7.8 psi summer gasoline, or located in the following areas during the summer season, must meet a maximum RVP per-gallon standard of 7.8 psi:

Table 1 to Paragraph (a)(2)—Federal 7.8 psi RVP Areas

Area designation	State	Counties
Denver-Boulder-Greeley-Ft. Collins-Loveland	Colorado	Adams Arapahoe, Boulder, Broomfield, Denver, Douglas, Jefferson, Larimer,1 Weld. 2
Reno	Nevada	Washoe.
Portland	Oregon	Clackamas (only the Air Quality Maintenance Area), Multnomah (only the Air Quality Maintenance Area), Washington (only the Air Quality Maintenance Area).
Salem	Oregon	Marion (only the Salem Area Transportation Study), Polk (only the Salem Area Transportation Study).
Beaumont-Port Arthur	Texas	Hardin, Jefferson, Orange.
Salt Lake City	Utah	Davis, Salt Lake.

This document is only available to subscribers. Please log in or purchase access.

Purchase Login