

# 40 C.F.R. § 158.1752

## Flies.

(a) *General.* The table in this section applies to flies. The product labeling claim determines the required test species. The required test species for a labeling claim against flies appear in paragraph (b) of this section.

(b) *Test species.* For products making a claim against flies, the required test species for a labeling claim against flies appear in the following table.

Table 1 to Paragraph (b)—Required Test Species for Products Making a Claim Against Flies

Labeling claim	Required test species
<b>Pest Group Claim</b>	
Flies	Testing of five species is required: House fly ( <i>Musca domestica</i> ) AND Flesh fly ( <i>Sarcophaga</i> sp., <i>Wohlfahrtia</i> sp., and other genera of flesh flies) OR Blow fly <i>Phaenicia</i> sp., <i>Calliphora</i> sp., and other genera of blow flies) AND Stable fly ( <i>Stomoxys calcitrans</i> ) AND Biting midge (punkie, granny nipper, no-see-um) (any <i>Culicoides</i> sp.) OR Black fly (any <i>Simulium</i> sp. or <i>Prosimulium</i> sp.) OR Black gnat (any <i>Leptoconops</i> sp.) AND Black horse fly ( <i>Tabanus atratus</i> ) OR Deer fly ( <i>Chrysops</i> sp.) OR Striped horse fly ( <i>Tabanus lineola</i> ).
<b>Pest Sub-Group Claims</b>	
Filth Flies	Testing on two species is required: House fly ( <i>Musca domestica</i> ).
	AND One of the following species is required: Flesh fly ( <i>Sarcophaga</i> sp., <i>Wohlfahrtia</i> sp., and other genera of flesh flies) OR Blow fly <i>Phaenicia</i> sp., <i>Calliphora</i> sp., and other genera of blow flies).
Biting flies (excluding Sand flies)	Testing is required on three species: Stable fly ( <i>Stomoxys calcitrans</i> )
	AND one of the large biting fly species: Black horse fly ( <i>Tabanus atratus</i> ) OR Deer fly ( <i>Chrysops</i> sp.) OR Striped horse fly ( <i>Tabanus lineola</i> ).
	AND one of the small biting fly species: Biting midge (punkie, granny nipper, no-see-um) (any <i>Culicoides</i> sp.) OR Black fly (any <i>Simulium</i> sp. or <i>Prosimulium</i> sp.) OR Black gnat (any <i>Leptoconops</i> sp.).

Large Biting Flies	Testing is required on two species: Stable fly ( <i>Stomoxys calcitrans</i> ).
	AND one of the following species: Black horse fly ( <i>Tabanus atratus</i> ) OR Deer fly ( <i>Chrysops</i> sp.) OR Striped horse fly ( <i>Tabanus lineola</i> ).
Small Biting Flies (excluding Sand flies)	Testing is required on one of the following species: Biting midge (punkie, granny nipper, no-see-um) ( <i>Culicoides</i> sp.) OR Black fly ( <i>Simulium</i> sp. OR <i>Prosimulium</i> sp.) OR Black gnat ( <i>Leptoconops</i> sp.).
<b>Pest-Specific Claims</b>	
Blow fly	Blow fly ( <i>Phaenicia</i> sp., <i>Calliphora</i> sp., and other genera of blow flies).
Cluster fly	Cluster fly ( <i>Pollenia rudis</i> ).
Face fly	Face fly ( <i>Musca autumnalis</i> ).
Flesh fly	Flesh fly ( <i>Sarcophaga</i> sp., <i>Wohlfahrtia</i> sp., and other genera of flesh flies).
House fly	House fly ( <i>Musca domestica</i> ).
Little house fly	Little house fly ( <i>Fannia canicularis</i> ).
Biting midges (punkie, granny nipper, no-see-um)	Biting midge (punkie, granny nipper, no-see-um) ( <i>Culicoides</i> sp.).
Black flies	Testing on one of the following species is required: <i>Simulium</i> sp. OR <i>Prosimulium</i> sp.
Black gnats	Black gnat ( <i>Leptoconops</i> sp.).
Deer flies	Deer fly ( <i>Chrysops</i> sp.).
Greenhead	Greenhead ( <i>Tabanus nigrovittatus</i> ).
Horn fly	Horn fly ( <i>Haematobia irritans</i> ).
Horse flies	Testing on one of the following species is required: Black horse fly ( <i>Tabanus atratus</i> ), OR Striped horse fly ( <i>Tabanus lineola</i> ).
Sand flies	Testing on one of the following species is required: <i>Lutzomyia</i> sp. OR <i>Phlebotomus</i> sp.
Stable fly	Stable fly ( <i>Stomoxys calcitrans</i> ).

This document is only available to subscribers. Please log in or purchase access.

Purchase Login